

# Monosyn® Quick The QUICK SUTURE FOR SKIN CLOSURE

Short-term synthetic absorbable monofilament suture made of glyconate

# Monosyn<sup>®</sup> Quick THE QUICK SUTURE FOR SKIN CLOSURE



# A COMPLETE RANGE OF BENEFITS

B. Braun offers a comprehensive synthetic absorbable monofilament portfolio that provides solutions according to surgeon's requirements for the different surgical layers:

initial tensile strength

%

Monosyn<sup>®</sup> Quick

# THE MONOFILAMENT ADVANTAGE

The main advantages of using monofilament sutures:

- Monofilament sutures appear to have the lowest infection promoting effects<sup>1,2</sup>.
- Compared with braided multifilament sutures, absorbable monofilaments exhibit less tissue drag and cause less tearing because of their smooth surfaces<sup>3</sup>.

210 days



Figure 1: Tensile strength retention of the B. Braun synthetic monofilament sutures


### Monosyn® Quick: Short term absorbable suture for fast healing tissues.

Monosyn<sup>®</sup>: Mid term absorbable suture for soft tissue approximation.

MonoPlus®: Long term absorbable suture designed for slow healing tissues.


Monomax®: Extra long term absorbable suture specially engineered for abdominal wall closure.

Monomax




THE QUICK SUTURE FOR SKIN CLOSURE

• In wide range of thread sizes (USPs) combined with our new Dermaslide' needle combined with our new Dermaslide' needle combined with our new Dermaslide' needle



ABSORPTION PROFILE OF Monosyn® Quick

Monosyn<sup>®</sup> Quick maintains 50 % of its original tensile strength after 7 days, with a complete mass absorption in 56 days<sup>5</sup>.



# **INDICATIONS<sup>5</sup>**

Monosyn<sup>®</sup> Quick is used for soft tissues and mucous membranes, when wound support over a period of 7 days is considered adequate.

### The main indications are:

- Dermal sutures, particularly in pediatric surgery.
- Episiotomy (gynaecology).
- Circumcision (urology).

NEW Dermaslide® NEEDLE: A DEFINITIVE CHOICE FOR SKIN CLOSURE

# FROM OUR FIRST REVERSE CUTTING TO THE OUT-STANDING Dermaslide® NEEDLE:

- Made from 300 series steel.
- Sharper after multiple stitches compared to a classical cutting needle<sup>6</sup>.
- Flattened body prevents rotating in the needle holder<sup>7</sup>.

DS

closure.



# THE REVERSE CUTTING NEEDLE TIP WITH PROGRESSIVE MICRO-POINT ENHANCES IT SO THAT EVERY PUNCTURE IS MADE WITH:

Excellent tissue penetration<sup>8</sup>.High bending performance<sup>8</sup>.



Dermaslide<sup>®</sup> New Needle Generation

# I The DS needle was our first launch indicated for skin

I It is our traditional reverse cutting needle with extensive experience in the market: more than 24 million units delivered around the world annually.

THE FLATTENED AND ENGRAVED BODY OF THE Dermaslide<sup>®</sup> NEEDLE PROVIDES:

I Improved stability of the needle in the grasp of the needleholder<sup>9</sup>.




(DGMP)



- Excellent tissue penetration<sup>8</sup>.
- I High bending performance<sup>8</sup>.
- Sharper after multiple stitches compared to classical cutting needle<sup>8,10</sup>.
- Designed to improve the stability of the needle in the grasp of the needle holder<sup>9</sup>.

# Dermaslide® PENETRATION PERFORMANCE (11)



A surgical suture should include a needle-thread combination that guarantees high performance to a surgeon for the desired indication.

B. Braun has gone a step further by offering an innovative plastic surgery needle for skin closure to be combined with Monosyn<sup>®</sup> Quick.



THE QUICK SUTURE FOR SKIN CLOSURE



# C012008

# PRODUCT OVERVIEW

# Monosyn<sup>®</sup> Quick

Structure	Monofilament
Colour	Undyed
Chemical composition	<ul> <li>Glyconate,</li> <li>a polymer made of:</li> <li>72 % Glycolide,</li> <li>14 % Trimethylene carbonate</li> <li>14 %-caprolactone</li> </ul>
Sizes	USP 1 (metric 4) - 6/0 (metric 1)
Knot tensile strength retention	70 - 80 % after 5 days 50 % after 7 days 20 - 30 % after 10 days 0 % after 14 - 21 days
Mass absorption	Degradation by hydrolysis within 56 days
Sterilisation	Ethylene oxide



length lengt mm col 1/2 circle round bodied needle	read th cm lour 45	6/0 (0.7)	5/0 (1)	4/0 (1.5)	USP (r 3/0 (2)	2/0	0	1	2
mm col 1/2 circle round bodied needle	lour 45								<u> </u>
1/2 circle round bodied needle	45	(0.7)	(1)			(3)	(3.5)	(4)	(5)
					(2)	(3)	(3.5)	(4)	(3)
HR 13 (		C0025193	C0025194	C0025195					
	70		C0025207						
	dyed								
HR 17	45	C0025216	C0025225						
	70		C0025051	C0025052	C0025053				
Easyslide	dyed								
HR 22	45				C0025160				
	70			C0025245	C0025246	C0025247			
Easyslide	dyed								
HR 26									
	70			C0025057	C0025058	C0025059	C0025060		
Easyslide	dyed								
HR 26s									
	70					C0025361	C0025165		
	dyed					C0025561	0025165		
	uyeu								
HR 30									
	70					C0025294	C0025295	C0025296	
	dyed					0025254	0025255	0025250	
	uyeu								
HR 37s									
	70				C0025064	C0025065	C0025066	C0025067	
	90				C0025070	C0025071	C0025072	C0025073	
Easyslide	dyed								
HR 40s									
						<u></u>	0		
	70				00005000	C0025076	C0025077	C0025078	
	90 durad				C0025080		C0025082	C0025083	
	dyed								
HR 43									
	70						C0025176		
	dyed						0023170		
HR 43s									
•									
	90						C0025370		
Easyslide	dyed								

C Box of 36 units B Box of 24 units G Box of 12 units M Box of 6 units	C Box of 36 units	B Box of 24 units	G Box of 12 units	M Box of 6 units
--	-------------------	-------------------	-------------------	------------------

	Needle	Thread				USP (r	netric)			
	length mm	length cm colour	6/0 (0.7)	5/0 (1)	4/0 (1.5)	3/0 (2)	2/0 (3)	0 (3.5)	1 (4)	2 (5)
1/0			(0.7)		(1.5)	(2)	(3)	(3.5)	(4)	(3)
1/2 circle	round bodied needle									
	HR 48									
Easyslide		90 undyed					C0025086	C0025087	C0025088	
	HR 65	unayea								
	•									
		90					B0025261			
Easyslide		undyed								
5/8 circle	round bodied needle									
	FR 26	70					C0025047			
Easyslide	$\bigcirc$	undyed								
	FR 36									
Easyslide		70						C0025119		
	ound bodied needle	undyed								
Easyslide	GR 19									
<u></u>		45 undyed		C0025114	C0025115					
3/8 circle	round bodied needle with tro									
	DRT 12									
Easyslide		45 undyed	C0025235							
<u> <u> </u></u>	DRT 18	45		C0025236						
Easyslide		70 undyed			C0025313	C0025314				
	round bodied needle with tro									
	HRT 17									
	\ ⊕ /	70		C0025152						
Easyslide		undyed								
	HRT 37 ⊕	00					00025001	C0025092	00025002	
		90 120					C0025091 C0025096	0025092	C0025093	
Easyslide		undyed								

Needle	Thread				USP (I	metric)			
length	length cm	6/0	5/0	4/0	3/0	2/0	0	1	2
mm	colour	(0.7)	(1)	(1.5)	(2)	(3)	(3.5)	(4)	(5)
1/2 circle round bodied needle with tro	ocar point								
HRT 37s									
$\oplus$									
	70					C0025103			
Easyslide	undyed								
HRT 43									
$\oplus$									
	90						C0025284	C0025285	
Easyslide	undyed								
HRT 48									
$\oplus$									
Easyslide	90						C0025275		
	undyed								
1/2 circle round bodied needle with blo	unt point	_							
HRN 35									
Easyslide	70 undyed						C0025177		
HRN 65	unuycu								
$\bigcirc$									
	70						B0005100		
180° Easyslide	70 undyed						B0025139		
3/8 circle reverse cutting needle	unayea								
DS 12	45	C0025134	C0025135	C0025136	C0025169				
	70		C0025323	C0025304					
Easyslide	undyed								
DS 16	45		C0025125	C0025126	0000				
	70 undyed		C0025331	C0025332	C0025333				
DS 19	45		C0025001	C0025002	C0025003				
	45 70	C0025005	C0025001 C0025006	C0025002 C0025007	C0025003 C0025008	C0025009			
Easyslide	undyed								
DS 24	45				C0025351	C0025352			
	70			C0025011	C0025012	C0025013	C0025342		
Easyslide	undyed								
		[	C Box of 36 u	nite D	Poy of 0.4 mil		v of 10!+-	MD	of C unit-
			C DUX 01 36 U	mus B	Box of 24 unit	UB0	x of 12 units		of 6 units

Needle	Thread	6/0	5/0	4/0	USP (r   3/0	metric)   2/0	0	1	2
length mm	length cm colour	(0.7)	(1)	4/0 (1.5)	(2)	(3)	(3.5)	(4)	2 (5)
3/8 circle reverse cutting needle									
DS 30									
Easyslide	70 undyed				C0025014	C0025015	C0025107		
1/2 circle reverse cutting needle	unayea								
HS 15									
Easyslide	45 undyed		C0025143						
HS 18	70				C0025379				
Easyslide	undyed								
HS 23	45			C0025388	C0025389				
Easyslide	undyed								
HS 37									
Easyslide	70 undyed						C0025174		
HS 37s	unuycu								
	90					C0025265	C0025266		
Easyslide	undyed								
HS 40s ▼									
	90						C0025256	C0025257	
Easyslide	undyed								
Straight reverse cutting needle		_							
Easyslide GS 51	70			C0025180	C0025181	C0025182	C0025172		
Easyslide GS 60	undyed								
<b>V</b>	70 undyed				C0025186				
3/8 circle Trapezoidal micro engraved	with precision	point							
DGMP 11	45	C0025807	C0025805						
	undyed								
DGMP 13 、 <sup> マ</sup> ノ	45		C0025806	C0025802					
DGMP 16	undyed								
	45			C0025803					
	undyed								

Needle	Thread				USP (r	netric)				
length	length cm	6/0	5/0	4/0	3/0	2/0	0	1	2	
mm	colour	(0.7)	(1)	(1.5)	(2)	(3)	(3.5)	(4)	(5)	
3/8 circle Trapezoidal micro engraved with precision point										
DGMP 19	45		C0025808	C0025804						
\ ♥ /	70				C0025801					
	undyed									
DGMP 24	45				C0025809					
	70				C0025138					
	undyed									
3/8 circle reverse cutting needle with p	precision poin	t								
DSMP 11	45	C0025020	C0025021							
	70		C0025112							
Easyslide	undyed									
DSMP 13	45	C0025023	C0025024	C0025025						
$\nabla$	70	C0025111	C0025113	C0025337						
Easyslide	undyed									
DSMP 16	45	C0025027	C0025028	C0025029	C0025030					
\ <sup>®</sup> /	70			C0025130						
Easyslide	undyed									
DSMP 19	45		C0025031	C0025032	C0025033	00005000				
	70			C0025036	C0025037	C0025038				
Easyslide	undyed									
DSMP 24	45			C0025039	C0025040					
	70			C0025042	C0025043	C0025044				
Easyslide	undyed									
1/2 circle reverse cutting needle with p	precision poin	t								
HSMP 15										
	45			C0025101						
Easyslide	undyed									

C Box of 36 units	B Box of 24 units	G Box of 12 units	M Box of 6 units
-------------------	-------------------	-------------------	------------------

	Thread length cm colour	6/0 (0.7)	5/0 (1)	4/0 (1.5)	USP (n   3/0   (2)	netric) 2/0 (3)	0 (3.5)	1 (4)	2 (5)
Pre-cut sutures									
1 thread of 150 cm	1 x 150 undyed				C0025320				

- 1 Mangram AJ, Horan TC, Pearson ML, Silver LC, Jarvis WR. Guideline for prevention of surgical site infection 1999. Hospital Infection Control Practices Advisory Committee. Infect Control Hosp Epidemiol. 1999;20(4):250–78.
- 2 Choi HJ, Chae HD. Comparison of E. Coli infiltration between new synthetic absorbable sutures. J Korean Surg Soc. 2009;77(1):1-6.
- 3 Im JN, Kim JK, Kim HK, Lee KY, Park WH. Characteristics of novel monofilament sutures prepared by conjugate spinning. J Biomed Mater Res B Appl Biomater. 2007 Nov;83(2):499-504.
- 4 NAMSA report Lab No. 03C1658900, data on file.
- 5 IFU Monosyn® Quick.
- 6 Test Report 113\_139/A and Test Report 113\_134/A.
- 7 RDR-22-13110-FJB-CMY.
- 8 B. Braun Test Report 113\_139/A Benchmark Cosmetic Needles: Ethicon Covidien SETR.
- 9 B. Braun RetD Testing Services Report (RDR-22-13110-FJB-CMY).
- 10 B. Braun Test Report 113\_134/A Benchmark Cosmetic Needles: Evolution MANI.
- 11 Data on file (2013), determinated by Penetration measurement protocol SXMAD/05/A 20/03/06.

B. Braun Surgical, S.A.U. | Carretera de Terrassa, 121 | 08191 Rubí | Spain Phone +34 93 586 6200 | Fax +34 93 588 1096 | www.bbraun.com

The product trademark "Dermaslide", "Monomax", "MonoPlus" and "Monosyn" are registered trademarks of B. Braun Melsungen AG or its affiliates.

Subject to technical changes. All rights reserved. This brochure may only be used for the exclusive purpose of obtaining information about our products. Reproduction in any form, partial or otherwise, is not permitted.